Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.23 Index*

LIBEARY

APR 2 0 1950

WHOLE-SATE Agriculture PRICE LIST

1949-1950

NAPERVILLE NURSERIES

INCORPORATED NAPERVILLE, ILLINOIS



ADVICE TO CORRESPONDENTS, DIRECTIONS TO CUSTOMERS AND CONDITIONS OF SALE

OUR NURSERIES are situated adjacent to the city of Naperville, DuPage County, Illinois, some 28 miles west of Chicago, on the Chicago, Burlington & Quincy Railroad. Popular automobile routes as State Route No. 65, and U. S. Highway No. 34 pass our Nurseries.

All prices named herein are:

Limited to 1949-50 and supersedes those of any previous Whole-

sale Price List.

For goods f. o. b. Nurseries or cars Naperville, Illinois, exclusive of any packing, express, freight or transportation charges; packing charges are extra in addition to cost of plants. No charge for packing car lot orders in bulk.

Subject to cancellation or change without further notice upon

prior sale or depletion of our stock of goods.

In the rush of planting seasons, customers calling at the nursery will be better waited upon and served by making an appointment in advance. It is difficult to always properly serve customers at the nursery on short notice, and especially on Saturdays.

CLOSED ALL DAY SUNDAY

Write plainly and give explicit directions as to address and mode

of shipment, whether by freight, express, etc.

Orders are accepted and all shipments made subject to delays or inability to ship or deliver by reason or on account of strikes, accidents, droughts, fire, flood, frost, hail, sleet, war conditions and orders, railroad or express embargoes, priority or other transportation orders, prior sale of stock, stock shortage, labor or car shortage, or any other cause or causes for delay in shipment or delivery of goods which are beyond our control.

Due to general conditions of weather, possible labor shortage and other contingencies, during the digging and shipping season, we do not guarantee to fill all items of an order or orders placed

with us in one or first shipment.

Due to current lumber shortage we may not be able to ship items that would require boxing.

GUARANTEE AND CLAIMS. In growing and furnishing all Nursery stock, we exercise the utmost diligence and care to have it true to name and will, on proper proof, within one year from date to our satisfaction, replace in ordered sizes any that will prove otherwise or refund the amount paid. Any and all sales made by us do not include any warranty expressed, or implied, as to quality, description, productiveness, growth, or any other matter or qualifications pertaining to the Nursery stock sold.

It is mutually agreed and understood between the Purchaser and Ourselves, that in any case we shall not be liable for a sum greater than the amount originally paid us for any tree or plants,

etc., that prove untrue.

IN MAKING ALL SHIPMENTS WE CAREFULLY CONSIDER CONDITIONS IN GENERAL AND ACT ACCORDINGLY. ALL SHIPMENTS AT PURCHASER'S RISK.

In absence of specific instructions, we are to route all shipments

according to our best judgment without assuming responsibility. If destination is a Prepaid Station, freight charges will be

prepaid by us and charged for on invoice.

Claims for Errors or Shortages must be filed with us within Ten (10) days after receipt of goods. No claims for errors or

shortage in excess of purchase price will be considered. Claims for damage to stock en route by Railroad or Express Company shall be immediately reported and entered with your local agent of transportation company.

Remittance with order will be considered payment on account, inasmuch as chargeable packing charges, or prepaid express or freight, or cost of trucking cannot be ascertained until goods are

packed, shipped or delivered, as the case may be.

All Accounts, 30 days net cash.

2% Discount allowed on accounts if paid within 10 days from

date of shipment.

Where remittance accompanies order same should cover total amount computed at list prices of goods ordered without deducting discount. Such remittances will be considered payment on account. Our invoices will show entire transaction showing price of plants, packing charges, prepaid express or freight, or delivery charges as soon as goods are shipped, or delivered, as the case may be.

The condition may arise where the entire amount of all invoices for stock shipped will be less than the amount, or amounts remitted, in which case the unearned portion of remittances will be refund as soon as the shipping season is over and our books and

accounts have been properly audited, if not before.

Payments for partial shipments shall be due on basis of Invoice

dating.

Cash or satisfactory references with order, if purchaser has no credit established with us.

Certificate of inspection will be furnished with each shipment.

STATE OF ILLINOIS

Adlai E. Stevenson, Governor

DEPARTMENT OF AGRICULTURE

DIVISION OF PLANT INDUSTRY Glen Ellyn, Illinois NURSERYMAN'S CERTIFICATE NO. 141

THIS IS TO CERTIFY THAT the nursery consisting of General Nursery Stock and field grown Herbaceous Perennials (field inspected) and premises of NAPERVILLE NURSERIES, INC., Naperville, Illinois, situated at Naperville, Illinois, have been inspected by a duly appointed inspector of this office and that said nursery and premises are apparently free from dangerous insect pests and plant diseases.

This certificate is valid until August 1, 1950 unless sooner

revoked.

July 20, 1949

C. H. KELTNER, Superintendent H. F. SEIFERT
Horticultural Inspection Supervisor

SCHEDULE OF BALLING AND BURLAPPING CHARGES

When balls of earth (B & B) are required or desired on shrubs, trees or plants not catalogued as balled (B & B) (Hawthorns excluded) add the following charges per piece. Size are diameter and depth.

| | | | \$ | | 22" | x | 16" | 4.00 |
|-----|---|-----|---|------|-----|---|------|----------|
| | | | *************************************** | | 24" | x | 18" | 5.50 |
| 18" | x | 15" | *************************************** | 2.00 | 28" | x | 20" | 7.00 |
| 20" | X | 15" | | | 30" | X | 20" | 9.00 |
| | | | 36" x | 22" | | 1 | 3.50 | |

Trees

All Trees at least transplanted once and spaced for superior developments.

| | PRI | CE EA | СН |
|--|--------------|--------------|---------|
| ACER dasycarpum, Silver Maple | 1-4 | | 25-100 |
| 6-8 ft. | | - | \$ 1.10 |
| 2-2½ in. | 2.75 | 2.60 | |
| ginnala, Amur Maple | 2.60 | 1.05 | |
| 5-6 ft. 6-8 ft. | 3.15 | 1.95 2.75 | |
| 8-10 ft. | 4.25 | 3.85 | |
| platanoides, Norway Maple | 0 | 0.00 | - 1700 |
| 1½-2 in. | 5.85 | 5.15 | 3.90 |
| $2-2\frac{1}{2}$ in. | 6.50 | 5.50 | 4.75 |
| $2\frac{1}{2}$ -3 in. | 7.00 | 6.00 | |
| schwedleri, Schwedler Maple | | | |
| 8-10 ft | 7.00 | 6.00 | 5.00 |
| 1½-2 in. | 8.00 | 7.00 | 6.00 |
| saccharum, Sugar Maple | | | |
| 1½-2 in. | 5.50 | 4.85 | |
| 2-2½ in. | 6.25 | 5.50 | |
| 3-3½ in. | 14.00 | 13.00 | |
| AT NUIC : Consolid Alden | | | |
| ALNUS incana, Speckled Alder 6-8 ft. | 4.75 | 4.25 | 3.15 |
| 8-10 ft. | 5.50 | 4.75 | 3.90 |
| 0-10 10, | 0.50 | 1110 | 0.00 |
| BETULA alba, European White Birch | | | |
| 8-10 ft. | 2.75 | 2.60 | |
| gracilis, Cutleaf Weeping Birch | | | |
| 2-2½ in. | 8.00 | 6.85 | |
| 2½-3 in. | 10.00 | 9.00 | |
| 3-4 in | 12.00 | 11.00 | |
| papyrifera, Canoe Birch | | | |
| 2½-3 in. | 6.25 | 5.50 | |
| 3-4 in. | 12.00 | 11.00 | |
| | | | |
| CELTIS occidentalis, Hackberry | 5.25 | 3.90 | 3.15 |
| $1\frac{1}{2}$ -2 in. $2-2\frac{1}{2}$ in. | 6.25 | 5.50 | 5.15 |
| 2-2 ½ 1h. 2 ½ -3 in. | | 9.50 | 8.00 |
| 3-4 in. | | 13.00 | 0.00 |
| 0-2 111, | 1 1100 | | |
| CERCIS canadensis, American Redbud | | | |
| 2-3 ft | 1.75 | 1.50 | 1.25 |
| 3-4 ft | 2.25 | 2.00 | |
| | | | |
| CORNUS florida, White Flowering Dogwood | | | |
| 3-4 ft | 2.60 | 2.40 | |
| 4-5 ft. | 4.00 | 3.25 | |
| 5-6 ft. | 5.50 7.00 | 4.85 6.00 | |
| 6-8 ft. | 7.00 | 0.00 | |
| | | | |

| | DDI | CE EA | CH |
|--|-------|-----------|--------|
| CHATACCIC Thislast Howthown | 1-4 | | 25-100 |
| CRATAEGUS coccinea, Thicket Hawthorn 3-4 ft. | | \$1.20 | \$1.10 |
| 4-5 ft. | 2.40 | 2.00 | 1.75 |
| 5-6 ft. | 5.00 | 3.75 | 2.60 |
| 6-8 ft. | 6.50 | 5.75 | |
| 8-10 ft. | | 8.00 | 6.85 |
| cordata, Washington Hawthorn | | | |
| 5-6 ft. | 5.50 | 4.85 | 3.65 |
| 6-8 ft. | 7.00 | 6.25 | 5.50 |
| 8-10 ft. | 9.00 | 8.25 | |
| crusgalli, Cockspur Hawthorn | | | |
| 3-4 ft. | 2.40 | 2.00 | 1.60 |
| 4-5 ft. | 3.90 | 3.15 | 2.60 |
| 5-6 ft | 5.50 | 4.85 | 3.65 |
| 7-8 ft. | 8.00 | 6.85 | 6.00 |
| 8-10 ft | 11.00 | 10.00 | 8.50 |
| mollis, Downy Hawthorn | | | |
| 5-6 ft | 3.90 | 3.15 | 2.60 |
| 6-8 ft | 6.25 | 5.50 | 5.15 |
| 8-10 ft. | 9.00 | 8.00 | 6.85 |
| nitida, Glossy Hawthorn | | | |
| 5-6 ft | 3.90 | 3.15 | 2.60 |
| 6-8 ft | 6.50 | 5.75 | 5.25 |
| 8-10 ft | 9.00 | 8.00 | 6.85 |
| oxycantha, English Hawthorn | | | |
| 6-8 ft | 6.50 | 5.75 | 5.25 |
| 8-10 ft | 11.00 | 10.00 | 8.50 |
| | | | |
| FAGUS americana, American Beech | | | |
| 7-8 ft. B&B | 16.50 | 15.00 | |
| 8-10 ft. B&B | 18.50 | 16.50 | |
| sylvatica, European Beech | | | |
| 7-8 ft. B&B | | 15.00 | 14.00 |
| 8-10 ft. B&B | 18.50 | 16.50 | |
| EDAVINICO . IIII | | | |
| FRAXINUS americana, White Ash | | 0.47 | |
| 2-2½ in. | 3.50 | 3.15 | |
| GLEDITSIA triacanthos, Common Honeyloc | nst. | | |
| 8-10 ft. | 4.75 | 4.00 | 3.15 |
| 1½-2 in. | 5.50 | 4.75 | 3.90 |
| 2-2½ in. | | 6.85 | 6.00 |
| 2½-3 in. | 8.50 | 7.25 | 0.00 |
| inermis, Thornless Honeylocust | 0.00 | , , , , , | |
| 8-10 ft. | 4.75 | 4.00 | 3.15 |
| 1½-2 in. | | 4.75 | 3.90 |
| $2-2\frac{1}{2}$ in | | 6.85 | 6.00 |
| $2\frac{1}{2}$ -3 in | 8.50 | 7.25 | |
| | | | |
| GYMNOCLADUS dioica, Kentucky Coffeetr | ee | | |
| $1\frac{1}{2}$ -2 in | 4.75 | 4.00 | 3.15 |
| 2-2½ in. | | 5.50 | 4.85 |
| | -11 | | |
| JUGLANS cinerea, Butternut | | | |
| 2½-3 in | 8.00 | 6.85 | 6.00 |
| nigra, Black Walnut | | | |
| 2-2½ in | | 5.50 | 4.85 |
| 2½-3 in | | 6.85 | |
| | | | |

| | PRI | CE EA | |
|--|--|-------|--------|
| | 1-4 | 5-24 | 25-100 |
| LARIX laricina (americana), American La | | | |
| 6-8 ft. B&B | | | \$8.25 |
| 8-10 ft. B&B | 16.50 | 15.00 | 14.00 |
| BUATURE : 111 . D. II DI | a 1 | | |
| MALUS ioensis klehmi, Double Flowering | | | |
| 3-4 ft | 2.50 | 2.00 | |
| 4-5 ft | 3.00 | 2.50 | |
| OCTOVA mineriana Ironwood | | | |
| OSTRYA virginiana, Ironwood 2-2½ in. | 5.50 | 475 | 2.00 |
| | | 4.75 | 3.90 |
| 2½-3 in. | 8.00 | 5.85 | 5.15 |
| 3-4 in | 12.50 | 11.00 | |
| PLATANUS occidentalis, American Planetre | 26 | | |
| 8-10 ft. | 3.25 | 2.75 | 2.20 |
| 2-2½ in. | 6.25 | 5.50 | 2.20 |
| $2\frac{1}{2}$ 3 in. | 8.00 | 6.85 | |
| 3-3 ½ in. | | | |
| | | 9.50 | |
| 3½-4 in. | | 11.75 | |
| 4-4½ in | 16.50 | 15.00 | |
| POPULUS bolleana, Bolleana Poplar | | | |
| 6-8 ft. | 2.25 | 1.75 | 1.40 |
| 8-10 ft. | 2.75 | 2.40 | 1.60 |
| 10-12 ft. | 4.00 | 3.25 | 2.40 |
| eugenei, Carolina Poplar | | 0.20 | |
| 2½-3 in. | 5.25 | 3.90 | |
| nigra italica, Lombardy Poplar | 0.20 | 0.00 | |
| 8-10 ft. | 1.50 | 1.25 | 1.10 |
| 1½-2 in. | 2.75 | 2.60 | 2.00 |
| tremuloides, Quaking Aspen | 2.75 | 2.00 | 2.00 |
| 8-10 ft. | 2.75 | 2.60 | 2.00 |
| 1½-2 in. | 3.50 | 3.00 | 2.50 |
| 2-2 ½ in. | 4.00 | 3.50 | 3.00 |
| | 4.00 | 3.30 | 3.00 |
| PRUNUS americana, American Plum | | | |
| 6-8 ft | .85 | .70 | .60 |
| 8-10 ft | 1.15 | .85 | .70 |
| serotina, Black Cherry | | | |
| 8-10 ft | 2.75 | 2.60 | 2.00 |
| 10-12 ft | 3.85 | 3.15 | 2.40 |
| | | | |
| QUERCUS coccinea, Scarlet Oak | 0.07 | m ma | 4.00 |
| 1½-2 in. | 6.25 | 5.50 | 4.85 |
| 2-2½ in | 8.00 | 6.85 | 6.25 |
| macrocarpa, Mossycup Oak | | | |
| 8-10 ft. | 5.50 | 4.75 | 3.90 |
| 1½-2 in. | 6.50 | 5.75 | 5.25 |
| 2-2½ in. | 9.00 | 8.00 | 6.85 |
| 2½-3 in. | 11.00 | 10.00 | 8.50 |
| palustris, Pin Oak | | | |
| 8-10 ft | 5.50 | 4.75 | 3.90 |
| 1½-2 in. | 6.50 | 5.75 | 5.25 |
| 4-5 in | 35.00 | | |
| 5-6 in | 50.00 | | |
| 6-8 in. | 60.00 | | |
| rubra, Common Red Oak | 17. 1 | | |
| | 8.00 | 6.50 | |
| 2-2½ in. | | 10.00 | |
| | No. of the last of | | |

| 6_NAPERVILLE, NURSERIES, INC., NAI | 11C V 111 | , 1111 | 2111015 |
|---|-----------|--------|---------|
| | PRI | CE EA | CH |
| ROBINIA pseudoacacia, Common Locust | 1-4 | | 25-100 |
| | | \$2.60 | |
| 8-10 ft\$ | 2.10 | Ψ2.00 | Ψ2.00 |
| SALIX alba niobe, Niobe Weeping Willow | | | |
| 5-6 ft | 2.25 | 2.00 | 1.50 |
| 8-10 ft. | 2.60 | 2.40 | 1.75 |
| 10-12 ft. | 3.00 | 2.60 | 2.00 |
| babylonica dolorosa, Wisconsin Weeping V | | 2.00 | 2.00 |
| | 1.75 | 1.50 | 1.25 |
| 4-5 ft | 2.25 | 2.00 | 1.75 |
| 5-6 ft | 2.25 | 2.00 | 1.75 |
| discolor, Pussy Willow | 1 00 | 0.5 | C= |
| 3-4 ft | 1.00 | .85 | .65 |
| 4-5 ft | 1.25 | 1.00 | .70 |
| 6-8 ft. | 1.75 | 1.50 | 1.25 |
| pentandra (laurifolia), Laurel Willow | | | |
| 6-8 ft | 2.25 | 1.65 | 1.25 |
| 8-10 ft | 2.60 | 2.40 | 1.75 |
| CORRUG American Manutain ask | | | |
| SORBUS americana, American Mountain-ash | 2.00 | 0 4 = | |
| 8-10 ft. | 3.90 | 3.15 | |
| 1½-2 in. | 5.00 | 4.00 | |
| aucuparia, European Mountain-ash | | | |
| 8-10 ft. | 2.85 | 2.60 | |
| 1½-2 in. | 5.00 | 4.00 | |
| quercifolia, Oakleaf Mountain-ash | | | |
| 2-2½ in | 5.50 | 4.50 | 1 |
| CVDING A Tanana Mara I !! | | | |
| SYRINGA japonica, Japanese Tree Lilac | | 0.05 | ==0 |
| 8-10 ft. | 6.85 | 6.25 | 5.50 |
| 10-12 ft | 8.00 | 6.85 | 6.25 |
| TILIA americana (glabra), American Linden | | | |
| 8-10 ft. | 2.60 | 2.40 | 1.75 |
| 1½-2 in. | 3.90 | 3.15 | 2.60 |
| | | | 2.60 |
| 2-2½ in | 5.25 | 3.90 | |
| ULMUS americana, American Elm | | | |
| 1-1½ in. | 2.75 | 2.60 | 2.00 |
| 1½-2 in. | 3.90 | 3.15 | 2.60 |
| 2-2 ½ in. | 4.75 | 4.15 | 3.50 |
| molini, Moline Elm | 4.73 | 4.13 | 3.30 |
| 1½-2 in | 200 | 2 1 5 | 2 60 |
| parvifolia, Chinese Elm | 3.90 | 3.15 | 2.60 |
| Q 10 ft | 0 == | 2.00 | 2.00 |
| 8-10 ft. 5-6 ft. bush form | 2.75 | 2.60 | 2.00 |
| | 2.00 | 1.75 | 1.40 |
| 6-8 ft. bush form | 2.25 | 2.00 | 1.75 |
| 8-10 ft. bush form | 3.25 | 2.85 | 2.50 |

Evergreens

All Evergreens are dug and priced balled and burlapped.

| ABIES concolor, White Fir | 1-4 | CE EA 5-24 \$5.50 | CH 25-100 |
|--|-------|-------------------------|--------------|
| 3-4 ft. | | 6.85 | Ψ |
| 4-5 ft. | | 10.50 | |
| 6-7 ft. | | 10.50 | |
| 0-1 10, | 27.50 | | |
| CHAMAECYPARIS pisifera plumosa, Plume | | | |
| 2-3 ft | 4.85 | 3.90 | 3.50 |
| aurea, Goldplume Retinospora | | | |
| 2-3 ft | 4.85 | 3.90 | |
| JUNIPERUS chinensis japonica, Japanese Ju | - | | |
| 15-18 in | 4.85 | 3.90 | |
| 18-24 in. | | 4.85 | |
| 2-2½ ft. | 6.00 | 5.50 | |
| pfitzeriana, Pfitzer Juniper | | | |
| 18-24 in. | | 3.90 | 3.50 |
| 2-2½ ft | | 5.50 | 5.00 |
| 2½-3 ft. | | 6.85 | |
| 3-4 ft | 10.00 | 9.50 | |
| pfitzeriana (Upright Staked), Pfitzer | | er | |
| 2½-3 ft | 10.00 | 9.50 | 8.00 |
| pyramidalis, Blue Columnar Chinese | | r | |
| 3-4 ft | 8.00 | 6.85 | 6.25 |
| pyramidalis, Green Columnar Chinese | | r | |
| 3-4 ft | 8.00 | 6.85 | 6.25 |
| communis, Common Juniper | | | |
| 18-24 in. | 4.85 | 3.90 | |
| hibernica, Irish Juniper | | | |
| 18-24 in | 3.15 | 2.40 | 2.00 |
| 2-3 ft | 3.90 | 3.60 | 3.00 |
| excelsa stricta, Spiny Greek Juniper | | | |
| 15-18 in. | 3.90 | 3.15 | |
| horizontalis Bar Harbor, Bar Harbor Junig | oer | | |
| 18-24 in. | 3.90 | 3.50 | 3.15 |
| plumosa, Andorra Creeping Juniper | | | |
| 18-24 in | 4.85 | 3.90 | 3.50 |
| 2-2½ ft | 6.25 | 5.50 | 4.85 |
| sabina cupressifolia, Cypress Savin Junipe | er | | |
| 15-18 in | 3.15 | 2.40 | 2.00 |
| 18-24 in | 3.90 | 3.60 | 3.00 |
| 2-2½ ft | 5.50 | 4.75 | 3.90 |
| vonehron, Vonehron Juniper | | | |
| 18-24 in. | 5.50 | 4.75 | 3.90 |
| 2-3 ft | 6.25 | 5.50 | 5.50 |
| scopulorum, Colorado Juniper | | | |
| 3-4 ft. | 7.00 | 6.25 | 5.50 |
| 4-5 ft. | 8.25 | 7.50 | |
| squamata meyeri, Meyer Juniper | | | |
| 15-18 in | 6.00 | 5.50 | |
| | | | |

| | | CE EA | |
|---|--------------|--------------|--------------|
| JUNIPERUS virginiana burki, Burk Redcedar | 1-4 | 5-24 | 25-100 |
| 3-4 ft. \$ canaerti, Canaert Redcedar | 8.00 | \$6.75 | \$ |
| 0.4.61 | 8.00 | 6.85 | 6.25 |
| elegantissima, Goldtip Redcedar | 0.00 | 0.03 | 0.23 |
| 3-4 ft | 6.85 | 6.25 | 5.50 |
| glauca, Silver Redcedar 3-4 ft. | 8.00 | 6.85 | 6.25 |
| globosa, Globe Redcedar | 0.00 | 0.00 | 0.20 |
| 18-24 in. | 5.25 | 3.90 | |
| hilli, Hill Dundee Juniper 3-4 ft. | 8.00 | 6.85 | |
| keteleeri, Keteleer Redcedar | | | |
| 3-4 ftschotti, Schott Redcedar | 8.00 | 6.85 | 6.25 |
| 3-4 ft | 8.00 | 6.85 | 6.25 |
| smithi, Smith Redcedar | | | |
| 3-4 ft | 6.85 8.00 | 6.25 6.85 | 5.50 6.25 |
| PICEA canadensis alba, White Spruce | 0.00 | 0.03 | 0.23 |
| 18-24 in. | 4.85 | 3.90 | 3.15 |
| 2-3 ft | 5.50 | 4.50 | 3.85 |
| 3-4 ftalbertiana, Blackhill Spruce | 6.50 | 6.00 | 5.50 |
| 2-3 ft | 5.50 | 4.75 | 3.90 |
| 3-4 ft | 6.50 | 6.00 | 5.50 |
| conica, Jack's Dwarf Spruce 8-10 in. | 2.75 | 2.50 | 2.25 |
| excelsa, Norway Spruce | | 2.00 | 2.20 |
| 2-3 ft. | 3.60 | 3.15 | 2.60 |
| 3-4 ft. 4-5 ft. | 4.00 4.50 | 3.50 4.25 | 3.00 3.85 |
| pungens glauca, Blue Colorado Spruce | | | 0.00 |
| 2-3 ft | 7.00 9.00 | 6.50 8.25 | |
| viridis, Green Colorado Spruce | 9.00 | 0.43 | |
| 2-3 ft | 6.00 | 5.50 | |
| 3-4 ft | 7.50 | 7.00 | |
| PINUS montana mughus, Mugho Pine | 0.07 | | |
| 18-24 in | 6.25 6.85 | 5.50 6.25 | 4.75 5.50 |
| nigra austriaca, Austrian Pine | 0.00 | 0.20 | 0.00 |
| 3-4 ftponderosa, Western Yellow Pine | 6.25 | 5.50 | 4.35 |
| 3-4 ft | 6.00 | 5.50 | |
| 4-5 ft | 6.85 | 6.25 | 5.50 |
| pungens, Table Mountain Pine 2-3 ft. | 6.25 | 5.50 | |
| sylvestris, Scotch Pine | 0.25 | 3.30 | |
| 3-4 ft | 6.25 | 5.50 | 4.35 |
| 4-5 ft. 5-6 ft. | 6.85 8.75 | 6.25 8.00 | |
| PSEUDOTSUGA douglasi, Douglas Fir | 0.75 | 3.00 | |
| 2-3 ft | 4.50 | 3.75 | 2.75 |
| 3-4 ft | 6.25 | 5.50 | |
| | | | |

| | PRI | CE EA | СН |
|--|---------|--------|--------|
| TAXUS cuspidata, Japanese Yew | 1-4 | 5-24 | 25-100 |
| 15-18 in. \$ | 5.50 | | \$3.90 |
| 18-24 in. | | • | • |
| 2-2½ ft. | 7.75 | | 0.00 |
| hicksi, Hicks Yew | | ****** | |
| 18-24 in | 7.75 | 7.25 | |
| $2-2\frac{1}{2}$ ft. | 9.00 | 8.25 | |
| <u> </u> | 5.00 | 0.23 | |
| THUJA occidentalis, American Arborvitae | | | |
| 3-4 ft | 4.85 | 3.90 | 3.50 |
| 4-5 ft | 6.25 | 5.50 | |
| douglasi aurea, Douglas Golden Arbo | rvitae | | |
| 3-4 ft | 4.75 | 4.00 | 3.75 |
| 4-5 ft | 6.25 | 5.50 | 4.75 |
| pyramidalis, Douglas Pyramidal | Arbor | vitae | |
| 3-4 ft. | 4.50 | 3.85 | |
| 3-4 ft. pyramidalis, American Pyramidal Arb | orvitae | 9 | |
| 2-3 ft | 3.90 | 3.15 | 2.60 |
| 3-4 ft | 5.50 | 4.75 | 3.90 |
| 4-5 ft. | 6.85 | 6.25 | 5.50 |
| 5-6 ft. | 8.25 | 7.50 | 6.50 |
| rosenthali, Rosenthal Arborvitae | | | |
| 18-24 in. | 3.90 | 3.15 | 2.85 |
| 2-2½ ft. | 4.25 | 3.65 | |
| wareana, Ware Arborvitae | | | |
| 18-24 in. | 3.90 | 3.15 | 2.60 |
| 2-2½ ft. | 4.85 | 3.90 | 3.15 |
| 2½-3 ft. | 5.50 | 4.75 | 4.25 |
| woodwardi, Woodward Arborvitae | 0.00 | | |
| 18-24 in. | 3.90 | 3.15 | 2.60 |
| 2-2½ ft. | 4.75 | 4.00 | 3.50 |
| ₩ ₩ /½ ± Us | 1.13 | 4.00 | 0.00 |
| TSUGA canadensis, Canadian Hemlock | | | |
| | 5.50 | 5.00 | |
| | 3.55 | | |

Shrubs

All shrubs are good thrifty, well grown, well rooted transplanted stock suited for immediate effect in landscape work.

| | PRIO | CE EA | CH 25-100 |
|--|------------|-------------|--------------|
| ACANTHOPANAX pentaphylla, Aralia Pent | | | 25-100 |
| 3-4 ft\$ | .60 | \$.55 | \$.45 |
| 4-5 ft. | .70 | .60 | .50 |
| | | | |
| AMELANCHIER canadensis, Shadblow Saska | | | |
| 2-3 ft | .85 | .70 | |
| ARONIA arbutifolia, Red Chokeberry | | | |
| 2-3 ft. | .70 | .60 | .50 |
| 3-4 ft. | .85 | .70 | .60 |
| brilliantissima, Brilliant Chokeberry | | | |
| 2-3 ft | | .60 | .50 |
| 3-4 ft | .85 | .70 | .60 |
| 4-5 ft | 1.00 | .85 | .70 |
| melanocarpa, Black Chokeberry | 70 | CO | FO |
| 2-3 ft | .70 .85 | .60 .70 | .50 .60 |
| 4-5 ft. | 1.00 | .85 | .70 |
| T-0 10 | 1.00 | .00 | ••• |
| BERBERIS thunbergi, Japanese Barberry | | | |
| 15-18 in | .45 | .40 | .35 |
| 18-24 in. | .55 | .50 | .45 |
| | | | |
| CHIONANTHUS virginicus, White Fringetre | | | |
| 5-6 ft. | 1.50 | 1.25 | 1.00 |
| 6-8 ft. | 1.75 | 1.50 | 1.25 |
| CORNUS alba sibirica, Coral Dogwood | | | |
| 2-3 ft. | .55 | .50 | .35 |
| 3-4 ft. | .60 | .55 | .50 |
| amomum, Silky Dogwood | .00 | .00 | |
| 3-4 ft | .55 | .50 | .35 |
| 4-5 ft | .60 | .55 | .45 |
| paniculata, Gray Dogwood | | | |
| 3-4 ft | .60 | .55 | .45 |
| sanguinea, Bloodtwig Dogwood | 0= | | M o |
| 3-4 ft. 5-6 ft. | .65 .85 | .55 | .50 |
| 6-8 ft. | 1.10 | .70 1.00 | .60 |
| stolonifera, Red-osier Dogwood | 1.10 | 1.00 | .03 |
| 3-4 ft. | .55 | .50 | .35 |
| 4-5 ft | .60 | .55 | .45 |
| flaviramea, Yellowtwig Dogwood | | | , |
| 3-4 ft | .70 | .60 | .50 |
| COTONEACTED | | | |
| COTONEASTER acutifolia, Peking Cotoneas | | | |
| 18-24 in. villosula, Hairy Peking Cotoneaster | .70 | .60 | .50 |
| 5-6 ft | 2 50 | 1.00 | 1 50 |
| 0-0 ±0. | 2.50 | 1.90 | 1.50 |
| | | | |

| | | CE EA | |
|--|----------------------|---------------------|--------------|
| COTONEASTER faveolata, Glossy Cotonea | 1-4 .ster | 5-24 | 25-100 |
| 3-4 ft\$ | | \$1.15 1.25 | • |
| 4-5 ft | | 1.25 | 1.10 1.25 |
| racemiflora soongarica, Sungari Rockspray | Coton | | 1.20 |
| 5-6 ft | 1.60 | 1.35 | 1.15 |
| CYDONIA japonica, Flowering Quince | | | |
| 18-24 in | .50 | .45 | .35 |
| umbilicata, Navel Flowering Quince 18-24 in. | .60 | .50 | .40 |
| 2½-3 ft. | .65 | .55 | .50 |
| DEUTZIA scabra plena, Double Rose Deutzi | 2 | | |
| 2-3 ft | .50 | .45 | .35 |
| 3-4 ft | .55 | .50 | .45 |
| Pride of Rochester, Pride of Rochester 2-3 ft. | r Deu . 50 | tz1a . 45 | .35 |
| 3-4 ft. | .55 | .50 | .45 |
| ELAEAGNUS angustifolia, Russian-olive | 1 | | |
| 3-4 ft. | | .65 | .55 |
| EUONYMUS alatus, Winged Euonymus | | | |
| 2-3 ft. | 1.35 | 1.25 | 1.10 |
| americanus, Brook Euonymus | | | |
| 3-4 ft. | .65 .70 | .55 .60 | .45 .50 |
| 4-5 ft. 5-6 ft. | .85 | .70 | .60 |
| atropupureus, Eastern Wahoo | | | |
| 3-4 ft, | .60 .70 | .55 .60 | .45 .50 |
| 4-5 ft. 5-6 ft. | .85 | .70 | .60 |
| | | | |
| FORSYTHIA intermedia, Border Forsythia 2-3 ft. | .45 | .35 | .30 |
| 3-4 ft | .50 | .45 | .35 |
| spectabilis, Showy Border Forsythia | == | .50 | .45 |
| 2-3 ft. 3-4 ft. | .55 | .60 | .50 |
| suspensa, Weeping Forsythia | ••• | | |
| 2-3 ft | .50 | .45 .55 | |
| 3-4 ft. | .60 | .55 | |
| HAMAMELIS virginiana, Common Witch-ha | | | .50 |
| 18-24 in. 2-3 ft. | .70 | .60 | .60 |
| 3-4 ft. | 1.00 | .85 | |
| HYDRANGEA arborescens grandiflora, Snow | whill H | vdrange | ea |
| 15-18 in. | .70 | .60 | .50 |
| LIGUSTRUM amurense, Amur Privet | | | |
| 18-24 in. | .22 | .18 | .15 |
| 2-3 ft. | .35 | .25 | .22 |
| ibolium, Ibolium Privet 18-24 in. | .22 | .18 | .15 |
| ibota, Ibota Privet | | 4.0 | d od |
| 18-24 in | .22 | .18 | .15 |

| | DDI | CE EA | CH |
|---|---------|--------|--------|
| I ICUSTRUM E Drivet | 1-4 | | 25-100 |
| LIGUSTRUM vulgare, European Privet | .25 | \$.22 | \$.17 |
| 2-3 ft | .32 | .28 | .25 |
| 4-5 ft. | .40 | .35 | .30 |
| 4-0 10, | .40 | .00 | .50 |
| IONICEDA Lalla alla White Della Hono | wan akl | 0 | |
| LONICERA bella albida, White Belle Hone | .50 | .45 | .35 |
| 2-3 ft. | .55 | .50 | .40 |
| 3-4 ft | .60 | .55 | .45 |
| 5-6 ft. | .70 | .60 | .50 |
| chrysantha, Coralline Honeysuckle | .70 | .00 | |
| 2-3 ft. | .50 | .45 | .35 |
| 3-4 ft. | .55 | .50 | .40 |
| 4-5 ft. | .60 | .55 | .45 |
| 5-6 ft. | .70 | .60 | .50 |
| morrowi, Morrow Honeysuckle | .,, | .00 | |
| 2-3 ft. | .50 | .45 | .35 |
| 3-4 ft. | .55 | .50 | .40 |
| 4-5 ft. | .60 | .55 | .45 |
| 5-6 ft. | .70 | .60 | .50 |
| tatarica alba, White Tatarian Honeysuckle | | | |
| 2-3 ft. | .50 | .45 | .35 |
| grandiflora, Bride Honeysuckle | | , | |
| 2-3 ft. | .45 | .35 | .28 |
| 3-4 ft. | .50 | .45 | .35 |
| rosea, Rosy Tatarian Honeysuckle | | | |
| 2-3 ft. | .50 | .45 | .35 |
| 3-4 ft | .55 | .50 | .40 |
| sibirica, Red Tatarian Honeysuckle | | | |
| 3-4 ft | .55 | .50 | .40 |
| zabeli, True Red Honeysuckle | | | |
| 2-3 ft | .50 | .45 | .35 |
| 3-4 ft | .60 | .55 | .45 |
| 4-5 ft | .70 | .60 | .50 |
| | | | |
| MAHONIA aquifolium, Oregongrape | | | |
| 15-18 in. B&B | 3.15 | 2.40 | 1.90 |
| 18-24 in. B&B | 3.90 | 3.15 | 2.75 |
| | | | |
| PHILADELPHUS coronarius, Sweet Mockor | ange | | |
| 3-4 ft | .50 | .45 | .35 |
| 4-5 ft | .55 | .50 | .40 |
| 5-6 ft | .70 | .60 | .55 |
| florepleno, Double Mockorange | | | |
| 3-4 ft | .50 | .45 | .35 |
| 4-5 ft | .55 | .50 | .45 |
| 5-6 ft | .70 | .60 | .55 |
| grandiflorus, Big Mockorange | | | |
| 3-4 ft | .50 | .45 | .35 |
| 4-5 ft | .60 | .55 | .45 |
| 5-6 ft | .70 | .60 | .50 |
| gordonianus, Gordon Mockorange | | | |
| 3-4 ft | .50 | .45 | .35 |
| 4-5 ft | .60 | .55 | .45 |
| 5-6 ft. | .70 | .60 | .50 |
| grandiflorus, Big Scentless Mockorange | | | |
| 4-5 ft | .60 | .50 | .35 |
| | | | |

| | PRI 1-4 | CE EA 5-24 | CH 25-100 |
|--|------------|---------------|--------------|
| PHILADELPHUS lemoinei, Lemoine Mockor | ange | | |
| 18-24 in\$ | .45 | \$.35 | \$. |
| 2-3 ft | | .45 | |
| virginalis | | | |
| 2-3 ft | .75 | .65 | .55 |
| | | | |
| PHOTINIA villosa, Oriental Photinia | | | |
| 3-4 ft. | .70 | .60 | .50 |
| 4-5 ft. | .75 | .65 | .55 |
| 5-6 ft. | .85 | .75 | .65 |
| | | | |
| PHYSOCARPUS monogynus, Mountain Nine | hark | | |
| 18-24 in. | .50 | .45 | .35 |
| opulifolius, Common Ninebark | | | |
| 2-3 ft. | .40 | .35 | .28 |
| 3-4 ft. | .50 | .45 | .35 |
| 4-5 ft. | .55 | .50 | .40 |
| 5-6 ft. | .60 | .55 | .45 |
| luteus, Goldleaf Ninebark | | | |
| 2-3 ft. | .40 | .35 | .28 |
| 3-4 ft. | .50 | .45 | .35 |
| 5-6 ft. | .70 | .60 | .50 |
| | | | |
| POTENTILLA fruticosa, Bush Cinquefoil | | | |
| 18-24 in. | .70 | .60 | .50 |
| | | | |
| PRUNUS blireiana Newport | | | |
| 2-3 ft | .85 | .75 | .65 |
| glandulosa sinensis, Double Pink Floweri | | | |
| 18-24 in. | .85 | .70 | .60 |
| tomentosa, Manchu Cherry | | | |
| 3-4 ft | .90 | .85 | |
| 4-5 ft | | | |
| virginiana, Common Chokecherry | | | |
| 4-5 ft | 1.00 | .85 | .70 |
| 5-6 ft | 1.15 | 1.00 | .85 |
| | | | |
| PTELEA trifoliata, Common Hoptree | | | =- |
| 4-5 ft | .70 | .60 | .50 |
| 5-6 ft | .85 | .70 | .60 |
| RHAMNUS cathartica, Common Buckthorn | | | |
| 2-3 ft. | .45 | .35 | .28 |
| 3-4 ft. | .50 | .45 | .35 |
| 4-5 ft. | .55 | .50 | .45 |
| 5-6 ft. | .60 | .55 | .50 |
| davurica, Dahurian Buckthorn | | | |
| 5-6 ft | .55 | .50 | .45 |
| 4-5 ft. | .70 | .60 | .50 |
| frangula, Glossy Buckthorn | | | |
| 2-3 ft | .45 | .35 | .28 |
| 3-4 ft. | .50 | .45 | .35 |
| 4-5 ft. | .55 | .50 | .45 |
| 5-6 ft. | .70 | .60 | .50 |
| | | | |
| RHODOTYPOS kerrioides, Jetbead | | | 4 |
| 2-3 ft | .60 | .55 | .45 |
| | | | |

| | | CE EA | |
|--|---|------------------------|--------------|
| RHUS aromatica (canadensis), Fragrant Sy | 1-4 imac | 5-24 | |
| 18-24 in | .70 | \$.60 | \$.50 |
| 4-5 ft. | 1.00 | .85 | |
| 5-6 ft | 1.10 | 1.00 | |
| 6-7 ft. typhina (hirta), Staghorn Sumac | 1.25 | 1.15 | |
| 4-5 ft. | .50 | .45 | .35 |
| 5-6 ft | .60 | .50 | .45 |
| ROBINIA hispida, Roseacacia Locust | == | .50 | .45 |
| 3-4 ft | .55 | .50 | .43 |
| ROSA lucida (virginiana), Virginia Rose | | | |
| 2-3 ft | .50 | .45 | .35 |
| multiflora, Japanese Rose 2-3 ft. | .50 | .45 | .35 |
| 3-4 ft | .60 | .55 | .45 |
| nitida, Shining Rose 2-3 ft. | .60 | .55 | .45 |
| palustris (carolina), Swamp Rose | .00 | .00 | • • • • |
| 2-3 ft | .55 | .45 | .35 |
| rubrifolia (ferruginea), Redleaf Rose 2-3 ft. | .60 | .55 | .45 |
| setigera, Prairie Rose | | | |
| 3-4 ft | .60 | .55 | |
| SAMBUCUS canadensis aurea, Golden Ar | nerican | Elder | |
| 3-4 ft | .60 | .55 | .45 |
| SHEPHERDIA argentea, Silver Buffaloberr | v | | |
| 3-4 ft | 1.10 | | |
| 4-5 ft. 5-6 ft. | | 1.25 1.50 | 1.10 1.35 |
| <i>0</i> -0 10 | 1.05 | 1.50 | 1.00 |
| SORBARIA sorbifolia, Ural Falsespirea | | | |
| 4-5 ft. | .70 | .60 | .50 |
| SPIRAEA arguta, Garland Spirea | | | |
| 2-3 ft. 3-4 ft. | .60 | .55 | .45 |
| japonica ovalifolia, Ovalleaf Japanese Spi | .70 rea | .60 | .50 |
| 18-24 in. | .50 | .45 | .35 |
| latifolia (bethlehemensis), Broadleaf Mea | dowswe . 50 | eet Spir .45 | ea .35 |
| thunbergi, Thunberg Spirea | .50 | .43 | .00 |
| 2-3 ft. | .60 | .50 | .40 |
| 3-4 ft. trichocarpa, Korean Spirea | .70 | .60 | .50 |
| 4-5 ft. | .60 | .55 | .50 |
| vanhouttei, Vanhoutte Spirea | 40 | 25 | 0.0 |
| 2-3 ft. 3-4 ft. | .40 .50 | .35 .45 | .28 |
| | | | |
| SYMPHORICARPOS vulgaris, Indiancurrant 2-3 ft. | Coralb • • • • • • • • • • • • • • • • • • • | .35 | .28 |
| 3-4 ft. | .50 | .35 .45 | .25 |
| | | | |

| PRICE EACH | | | |
|---|-------------|-------------|------------|
| SYRINGA henryi lutesce, Henry Lutesce Li | 1-4 lac | 5-24 | 25-100 |
| 3-4 ft\$ | .85 | \$.70 | \$.60 |
| 4-5 ft. | 1.00 | .85 | .70 |
| 5-6 ft. josikaea, Hungarian Lilac | 1.10 | 1.00 | .85 |
| 3-4 ft. | .85 | .70 | .60 |
| 4-5 ft. | 1.00 | .85 | .70 |
| 5-6 ft. persica, Persian Lilac | 1.10 | 1.00 | .85 |
| 2-3 ft. | .60 | .55 | .45 |
| villosa, Late Lilac | .00 | .00 | • • • • • |
| 3-4 ft. | .70 | .55 | .50 |
| 4-5 ft. | .85 | .70 | .60 |
| 5-6 ft. vulgaris, Common Lilac | 1.10 | 1.00 | .85 |
| 3-4 ft. | .55 | .50 | .45 |
| 4-5 ft. | .70 | .60 | .55 |
| 5-6 ft. SYRINGA hybrids | 1.00 | .85 | .70 |
| Charles Joly, Double reddish purple | | | |
| Charles X, Single reddish purple | | | |
| Congo, Single red | | | |
| Emil Lemoinei, Double purple La Tour D'Auvergne, Double purple | | | |
| Ludwig Spaeth, Single dark red | | | |
| Michel Buchner, Double pinkish lilac | | | |
| President Grevy, Large double blue | | | |
| Waldeck-Rosseau, Double rose 3-4 ft. | 1.60 | 1.35 | 1.15 |
| 4-5 ft. | 3.15 | 2.40 | 1.85 |
| 5-6 ft | 5.50 | 4.50 | 3.75 |
| VIBURNUM americanum, American Cranberr | • | 70 | 00 |
| 3-4 ft | | .70 .85 | .60 .70 |
| 5-6 ft. | 1.10 | 1.00 | .85 |
| dentatum, Arrowwood Viburnum | | | |
| 3-4 ft | .85 | .70 | .60 |
| 4-5 ft. 5-6 ft. | 1.00 | .85 1.00 | .70 .85 |
| lantana, Wayfaringtree Viburnum | 1.10 | 1.00 | .00 |
| 3-4 ft | .85 | .70 | .60 |
| 4-5 ft | 1.00 | .85 | .70 |
| lentago, Nannyberry Viburnum 3-4 ft. | .85 | .70 | .60 |
| 4-5 ft. | 1.00 | .85 | .70 |
| molle, Kentucky Viburnum | | | |
| 3-4 ft | .85 1.00 | .70 .85 | .60 |
| 4-5 ft | 1.10 | 1.00 | .85 |
| opulus, European Cranberrybush | 2020 | 2.00 | |
| 3-4 ft | .85 | .70 | .60 |
| 4-5 ft | 1.00 | .85 1.00 | .70 .85 |
| 5-6 ftsterile, Common Snowball | 1.10 | 1.00 | .00 |
| 2-3 ft | .70 | .60 | .50 |
| WEIGELA rosea, Oldfashioned Weigela | | | |
| 2-3 ft | .50 | .45 | .35 |

Vines

Transplanted field grown plants

| | PRI | PRICE EACH | | |
|---|------|------------|--------|--|
| | 1-4 | 5-24 | 25-100 | |
| AMPELOPSIS quinquefolia, Virginia Creepe | r | | | |
| 3 year | | \$.45 | \$.35 | |
| 4 year | .60 | .50 | .45 | |
| engelmanni, Engelmann Ivy | | | | |
| · 4 year | .50 | .45 | .35 | |
| tricuspidata veitchi, Boston Ivy | | | | |
| 2 year | 1.25 | 1.10 | 1.10 | |
| CELASTRUS orbiculata, Oriental Bitterswee | t | | | |
| 4 year | .50 | .45 | .35 | |
| scandens, American Bittersweet | | | | |
| 3 year | .50 | .45 | .35 | |
| LYCIUM chinense, Matrimony Vine | | | | |
| 3-4 ft | .50 | .45 | .35 | |
| WISTARIA sinensis, Chinese Wistaria | | | | |
| 2 year | .50 | .45 | .35 | |

Grapes

| | | PRI | CE EA | ACH |
|------------------|----------|-----|--------|--------|
| | | | | 25-100 |
| CONCORD & WORDEN | 2 year\$ | .40 | \$.35 | |

Perennials

Transplanted one and two year field grown plants.

| | 5-01111 | Pranto | |
|--|---------------------------|--------------------------------|--------------------------|
| ACONITUM napellus Sparks, Sparks Aconite Monkshood\$ | 1-4 5 | E EACH 5-24 25 \$.31 \$ | -100 |
| AJUGA reptans, Carpet Bugle | .25 | .22 | .17 |
| ALYSSUM saxatile compactum, Dwarf Goldentuft | .25 | .22 | .20 |
| ANEMONE pulsatilla, European Pasqueflower sylvestris, Snowdrop Anemone | .31 .27 ½ | .27 ½ .24 | .25 .22 |
| AQUILEGIA chrysantha, Golden Columbine Mrs. Scott Elliott's Strain | | | .20 |
| ARMERIA Tall hybrids | .27 ½ | .24 | .20 |
| ARTEMISIA lactiflora, Ghostplant Wormwood | .27 1/2 | .24 | |
| ASCLEPIAS tuberosa, Butterflyweed | .27 ½ | .24 | .20 |
| ASTER alpinus, Alpine Aster novaeangliae, New England Aster Harringtons Pink novibelgi Beechwood Challenger Mt. Everest Violetta | .27 ½ .25 .34 .34 .30 .34 | .22 .31 | .20 .25 .20 .25 |
| ASTILBE Betsy Cuperus Gloria BAPTISIA australis, Blue Wildindigo | .42 .42 .27 ½ | .38 | .34 |
| CAMPANULA carpatica, Carpathian Bellflower alba, White Carpathian Bellflower latifolia macrantha persicifolia grandiflora, Petticoat Bellflower | .27 1/2 | .24 .24 .27 ½ | .20 .20 .24 |
| CASSIA marilandica, Wild Senna | .30 | | .20 |
| | | | |
| CHELONE lyoni, Pink Turtlehead | .34 | .27 1/2 | .24 |
| CHRYSANTHEMUM maximum Alaska Shastadaisy Supreme | .25 .27 ½ | | .17 |
| CIMICIFUGA davurica, Dahurian Bugbane racemosa, Cobosh Bugbane | .34 .34 | | |

| | PRICI | E EACH | 4 |
|---|------------|--------------|------------|
| CLEMATIS heracleaefolia davidiana, | | -24 25 | |
| Fragrant Tube Clematis\$ | | .27 1/2 \$ | .24 |
| integrifolia, Solitary Clematisrecta, Ground Clematis | .34 | .27 1/2 | .24 |
| mandshurica, Manchurian Ground | | | |
| Clematis | .34 | .27 1/2 | .24 |
| CONVALLARIA majalis, Lily of the Valley | .27 1/2 | .24 | .22 |
| COREOPSIS Double Sunburst grandiflora, Bigflower Coreopsis | .34 .25 | .27 ½ .22 | .17 |
| DELPHINIUM belladonna | .27 1/2 | .25 | .20 |
| bellamosum | .27 1/2 | .25 | .20 |
| Blackmore & Langdon hybridschinensis | .27 1/2 | .25 .25 | .22 .20 |
| Pacific hybrids | .27 1/2 | .25 | .20 |
| DIANTHUS barbatus, Sweet William, | | | |
| pink, red or white | .27 1/2 | .25 | .20 |
| deltoides (procumbens), Maiden Pink | .27 1/2 | .25 .25 | .20 .20 |
| plumarius Cyclops Rose Cushion | .27 ½ | .27 1/2 | .20 |
| DICENTRA eximia, Fringed Bleedingheart spectabilis, Oldfashioned Common | .34 | .27 1/2 | .24 |
| Bleedingheart | .70 | | |
| DICTAMNUS fraxinella ruber (purpureus) | .42 | .34 | |
| DIGITALIS grandiflora (ambigua), | | | |
| Yellow Foxglove | .25 | .22 | .17 |
| ECHINACEA purpurea, Purple Echinacea | .25 | .22 | .17 |
| The King White Lustre | .34 | .31 | |
| ECHINOPS ritro, Small Globethistle | .34 | | .20 |
| ERIGERON speciosus, Oregon Fleabane | .27 1/2 | .25 | .20 |
| | .217% | .20 | .20 |
| ERYNGIUM amethystinum, Amethyst Eryngo | .27 ½ | .25 | .20 |
| EUONYMUS fortunei vegetus, Bigleaf | | | 0.11 |
| Wintercreeper Euonymus12-15 in. coloratus, Purpleleaf Wintercreeper | 1.15 | 1.05 | .85 |
| Euonymus24-30 in. | 1.30 | 1.20 | 1.00 |
| EUPATORIUM coelestinum, | | | |
| Mistflower Eupatorium | .27 1/2 | .25 | .20 |
| EUPHORBIA polychroma, Cushion Spurge | .30 | .27 1/2 | .25 |
| HARDY FERNS: | | | |
| ASPENIUM filixfemina, Ladyfern | .42 | .34 | .25 |
| OSMUNDA cinnamomea, Cinnamonfern | .42 | .34 | .25 |
| claytoniana, Interrupted-fern PTERETIS nodulosa, Ostrichfern | .42 .42 | .34 .34 | .25 .25 |
| o boarding of the same of the | • 74 | | -,-0 |

| CALLY ADDIA | | EACH | |
|--|--------------|------------|-----------|
| GAILLARDIA aristata, Common Perennial Gaillardia\$ | 1-4 5 | | |
| Common Ferenmai Gamardia | .45 | .22 \$ | • • • • • |
| GRASSES: | | | |
| EULALIA japonica variegated, | 2.4 | 051/ | |
| Striped Eulalia PENNISETUM japonica, Fountain Grass | .34 | .27 1/2 | .25 |
| | | | |
| GYPSOPHILA paniculata, Babysbreath | .25 | .22 | .17 |
| repens bodgersi, Bodger Creeping Gypsophila | .34 | .27 ½ | |
| viscosa Bristolfairy | .70 | .63 | .55 |
| | 2.4 | 071/ | 9.4 |
| HELIOPSIS scabra Incomparabilis | .34 | .27 1/2 | .24 |
| HEMEROCALLIS Anna Betscher | .30 | .25 | .22 |
| Florham | .27 1/2 | .24 | .20 |
| fulva, Tawny Daylily Kwanso | .25 .25 | .22 .22 | .17 |
| Hyperion | .50 | .42 | .34 |
| J. A. Crawford | .34 | .30 | |
| Mrs. W. H. Wyman | .30 | .25 | .22 |
| thunbergi, Thunberg Daylily | .25 | .22 | .17 |
| HIBISCUS mixed | .25 | .22 | |
| HOLLYHOCKS, Double pink, red or yellow | .27 1/2 | .25 | .20 |
| ilocci ilocks, bouble plink, red or yellow | .417% | .20 | .20 |
| HOSTA aurea variegata, | | | |
| yellow banded foliage | .34 | .27 1/2 | .24 |
| fortunei, Fortunes Plantain-lily | .27 ½ | .24 .24 | .20 |
| Thomas Hogg, white banded foliage | .34 | .27 1/2 | .25 |
| | 0=1/ | 0.4 | 00 |
| IRIS kaempferi, Japanese Irissibirica, Siberian Iris | .27 ½ .25 | .24 .22 | .22 |
| Snow Queen | .25 | .22 | -17 |
| | 0 | | |
| LIATRIS pycnostachya, Kansas Gayfeather | .27 ½ | | .20 |
| scariosa, Tall Gayfeatheralba, White Tall Gayfeather | .27 1/2 | | .22 |
| arba, white Ian Gayleather | .34 | .01 | |
| LINUM perenne, Perennial Flax | .25 | .22 | .17 |
| LYCHNIS chalcedonica, Maltese Cross | | | |
| Campion | .27 1/2 | .25 | .22 |
| LYTHRUM salicaria Brightness | .34 | .27 ½ | .24 |
| MERTENSIA virginica, Virginia Bluebells | .25 | .22 | .17 |
| • , , | | | |
| MONARDA didyma Cambridge Scarlet | .27 ½ | .25 | |
| MYOSOTIS alpestris, Alpine Forgetmenot | .25 | .22 | .17 |
| NEPETA mussini, Persian Nepeta | .34 | .31 | |
| PACHYSANDRA terminalis, Japanese | | | |
| Pachysandra | .25 | .22 | .17 |
| | | | |

| | PRICE | EACH | |
|---|-------------|-------------|-----|
| PAEONIA chinensis: | 1-4 5 | -24 25- | 100 |
| Festiva Maxima\$ | | .50 \$ | |
| Madame Emil Lemoinei | .70 | .55 | |
| Primevere | 1.05 | .90 | |
| Martha Bullock | .90 | .70 | |
| Mons Jules Elie | .90 | .70 | |
| Reine Hortense Therese | .85 1.04 | .70 1.05 | |
| Felix Crousse | .65 | .50 | |
| | | .50 | |
| PENTSTEMON torreyi, Torrey Penstemon | .27 1/2 | .25 | .20 |
| PHLOX divaricata, Blue Phlox | .27 1/2 | .25 | .20 |
| Paniculata: | | | |
| Africa | .34 | .27 1/2 | .24 |
| Baron Von Heekeren | .27 1/2 | .24 | .20 |
| Champs Elysee | .34 | .27 1/2 | .24 |
| Europe Frau Anton Buchner | .27 1/2 | .24 .24 | .20 |
| George Stipp | .34 | .27 1/2 | .20 |
| Leo Schlageter | .34 | .27 1/2 | .24 |
| Lillian | .34 | .27 1/2 | .24 |
| Mary Louise | .27 1/2 | .24 | .20 |
| Mia Ruys | .27 1/2 | .24 | .20 |
| Mme. Prosper Langier | .27 1/2 | .24 | .20 |
| | 2.4 | 071/ | |
| subulata alba, White Moss Phlox | .34 | .27 1/2 | .24 |
| atropurpurea Bluehill | .27 1/2 | .25 .25 | .20 |
| rosea, Rosemoss Phlox | .27 1/2 | .25 | .20 |
| | •41 72 | .23 | .20 |
| PHYSOSTEGIA virginiana, Virginia | | | |
| Lionsheart | .27 1/2 | .25 | .20 |
| PLATYCODON grandiflorum, Balloonflower | .25 | .22 | .17 |
| album, White Balloonflower | .25 | .22 | .17 |
| | | | |
| PRIMULA sylvestris | .27 1/2 | | .22 |
| veris, yellow and red, Cowslip Primrose | .27 1/2 | .25 | .22 |
| PYRETHRUM hybridum Kelways, | | | |
| Painted Lady | .27 1/2 | .24 | .20 |
| 00171001 | | | |
| SCABIOSA caucasica, Caucasian Scabious | , | | .22 |
| alba, White Caucasian Scabious | .27 1/2 | .24 | |
| SEDUM spectabile, Showy Stonecrop | .27 1/2 | .25 | .20 |
| STATICE latifolia, Pinkball Thrift | .34 | .27 1/2 | .24 |
| | | | |
| STOKESIA laevis (cyanea), Stokesia | .27 1/2 | .24 | .20 |
| THALICTRUM adiantifolium, Maidenhair | | | |
| Meadowrue | .34 | .31 | |
| minus, Low Meadowrue | | .24 | .20 |
| THERMOPSIS caroliniana, Carolina | | | |
| Thermopsis | .34 | .27 1/4 | .24 |
| | | | |
| TROLLIUS ledebouri Golden Queen | .34 | .27 1/2 | .24 |
| | | | |

| | PRICE EACH | | |
|---|------------|-----|---------|
| | 1-4 5 | 24 | 25-100 |
| VERONICA incana, Woolly Speedwell\$ | .27 1/2 \$ | .24 | \$.20 |
| spicata, Spike Speedwell | | | .20 |
| spuria (amethystina), Bastard Speedwell | .34 | .27 | .24 |
| subsessilis, Clump Speedwell | .35 | .31 | .27 1/2 |
| VINCA minor, Common Periwinkle | .25 | .22 | .17 |
| Bowles | .27 1/2 | .24 | .20 |
| VIOLA cornuta Blue Perfection | .25 | .22 | .17 |
| Jersey Gem | .25 | .22 | .17 |
| Yellow Gem | .25 | .22 | .17 |
| odorata, Sweet Violet | .25 | .22 | .17 |
| Royal Robe | .34 | .31 | |
| YUCCA filamentosa, Adamsneedle Yucca 3 yr | 50 | .42 | .34 |









